

Table of Contents

DISPLAY QUESTION	2
<i>Syntax</i>	2
<i>Example</i>	2

[Index](#), [Action](#), [Action List](#), [Process](#), [UI](#)

DISPLAY QUESTION

This action displays a question to the user and waits for the reply. The string specified in the action identifying a question is displayed together with the Yes, No and Cancel buttons.

Syntax

DISPLAY QUESTION

```
ArithmeticExpression()  
[  
  'MTITLE' <STRING_LITERAL>  
]  
[  
  'YESNAME' <STRING_LITERAL>  
]  
[  
  'NONAME' <STRING_LITERAL>  
]
```

where

1. ArithmeticOperation is the operation that produces a string (usually just a string literal).
2. MTITLE: optional title of the window
3. YESNAME: optional name of the “Yes” button (default is Yes)
4. NONAME: optional name of the No button (default is No)

Example

```
DISPLAY QUESTION 'Do you want to print out a receipt?' YESNAME='I do'  
NoName='I do not'
```

The reply of the user can be checked using the Reply attribute of the predefined object Question, for example:

```
IF Question.Reply = 'Yes' THEN ...
```

From:

<http://www.awareim.com/dokuwiki/> - **Documentation**

Permanent link:

http://www.awareim.com/dokuwiki/a_f/a/display_question?rev=1706592541



Last update: **2024/01/30 05:29**