

Table of Contents

EXEC_SP	2
<i>Syntax</i>	2
<i>Examples</i>	2

[Actions](#), [Action List](#), [Process](#), [Query](#), [SQL](#)

EXEC_SP

This action allows execution of a database stored procedure.

Syntax

```
EXEC_SP SPName [ OF DatabaseEnvironment ] [ WITH ParamName = ArithmeticExpression () [ INOUT ] | OUT ] ( , ParamName = ArithmeticExpression () [ INOUT ] | OUT ) * [ RETURN ObjectName ]
```

where:

- **SPName** is the name of the stored procedure to execute (must be enclosed in apostrophe)
- **DatabaseEnvironment** if present indicates the name of the database environment where the stored procedure is defined (see objects persisted in [external databases](#)). If not present the native Aware IM database is used.
- **ParamName** is the name of the parameter of the stored procedure (if stored procedure requires a parameter. A parameter can be IN, OUT or INOUT. If parameter type is omitted IN is assumed)
- **ArithmeticExpression** an Aware IM expression to initialize input parameters with. If the parameter is of OUT or INOUT type this expression must be the name of an attribute of a business object
- **ObjectName** if the stored procedure returns a result set (the result of the SQL SELECT statement) Aware IM can convert each record to the instance of the specified object. An object that is persisted in the database table of the SELECT statement must be defined. The resulting object instances are either placed in the Context if the EXEC_SP action is used in rules or returned by a query if the action is used in a rule form of the query

Examples

```
EXEC_SP 'procAlertGetAll' RETURN Alert
```

This stored procedure does not require any parameters. It selects all alert records in the native database, that Aware IM will automatically convert to instances of the Alert object and put in the context or make available for a query

```
EXEC_SP 'procAlertGet' WITH '@alerID'=1 RETURN Alert
```

This stored procedure returns alert record with id=1

```
EXEC_SP 'procAlertGet' WITH '@alerID'=SPParam.AlertId RETURN Alert
```

This stored procedure returns alert record with id taken from the AlertId attribute of the SPParam object

```
EXEC_SP 'procAlertGetOut' WITH  
'@alerID'=SPParam.AlertId, '@alertName'=SPParam.AlertName OUT
```

This stored procedure returns alert record with id taken from the AlertId attribute of the SPParam object. The name of the alert is then written into the AlertName attribute.

```
EXEC_SP 'proc1' OF SQLServer WITH '@param1'=1, '@param2'=2 RETURN SomeObject
```

This stored procedure returns the specified records from an [external database](#) identified by the name SQLServer.

From:
<http://www.awareim.com/dokuwiki/> - **Documentation**

Permanent link:
http://www.awareim.com/dokuwiki/a_f/a/exec_sp?rev=1663092928

Last update: **2022/09/13 18:15**

