

Table of Contents

LIST_LINE	2
<i>Description</i>	2
<i>Parameters</i>	2
<i>Example</i>	2

[Functions](#), [Function List](#), [Miscellaneous](#)

LIST_LINE

Description

Prints out members of a list as a single line. Only specified attributes of each list member are printed out. A list may be specified as an attribute or as a query string. This function is useful when it is necessary to print out a relatively small list inside a document or inside an e-mail (usually used inside a tag). Returns a line as a text string.

Parameters

1. Identifier of the list or a string identifying the query (either Rule Language string or the name of the existing query).
2. If the list identifier is used the second parameter may optionally indicate ordering of the list - Delimiter to be used between attributes of a member.
3. Delimiter to be used between members.
4. Attribute names to be printed out. The name of the attribute to print out may be optionally followed by the print format (the name of the attribute and the format must be separated by comma). If format is not specified the default attribute format will be used.

Example

```
<<LIST_LINE(Client.Children,'ORDER BY  
Child.FirstName DESC',' ',' ','FirstName', 'LastName', 'Age,#')>>
```

```
<<LIST_LINE('FIND ALL Child',' ',' ','FirstName', 'LastName', 'Age,#')>>
```

From:
<http://www.awareim.com/dokuwiki/> - **Documentation**

Permanent link:
http://www.awareim.com/dokuwiki/a_f/f/af/list_line?rev=1663092936

Last update: **2022/09/13 18:15**

