2025/11/09 15:35 1/7 Deployment Options

## **Table of Contents**

Deployment Options	2
Running AwarelM Web Server on a separate machine	3
Running Configuration Tool on a separate machine on a local area network (LAN)	3
Running the Configuration Tool Across the Internet	4
Running AwareIM in a web hosting environment	
Running AwareIM under the VPS hosting environment	
Using Load Balancing to achieve better performance and scaling	

2025/11/09 15:35 2/7 Deployment Options

Manuals, Installation Guide

## **Deployment Options**

When you install **AwareIM** out-of-the-box as described in sections Windows Installation, Linux Installation or MacOS Installation **AwareIM** is installed on a single machine. This is, however, not the only option of **AwareIM** deployment. **AwareIM** is a Client-Server system. From the deployment point of view it has 3 components that can be installed on the same or different computers. These components are:

- The AwarelM server
- The AwarelM Configuration Tool
- The AwareIM web application managed by Tomcat

As mentioned above all the components may reside on the same computer – this is the default deployment configuration that you get when you use the default **AwareIM** installation. This option is suitable for the following categories of users:

- Individual end users who run information systems configured with the AwareIM software for personal needs
- Configurators who configure and test their **AwareIM** information systems on a single machine
- Small to medium companies that run their information management systems configured with **AwarelM** for their internal office needs
- Small to medium companies that run their information management systems configured with **AwareIM** for their internal office needs and/or provide access to these systems to their customers via Internet where the load of the server running **AwareIM** system is low to medium.

For larger companies who have more internal and external users with higher load of requests it may be beneficial to deploy **AwareIM** on separate computers for better scaling and performance.

It is also possible that individual users or companies do not have direct access to the computer where **AwareIM** is running – for example, if they use 3<sup>rd</sup> party organizations to host their web needs (including **AwareIM**). These individuals and organizations however may need frequent and easy access to the Configuration Tool so that they can configure or modify their information systems whenever necessary.

**AwarelM** can be deployed to meet these needs. The following deployment options are available:

- 1. The AwarelM web application (Web Server) can be installed on a separate machine(s), which allows for better scaling and performance under heavy load.
- 2. The AwarelM Configuration Tool can be deployed on a separate machine with access to the AwarelM server via internal LAN. This makes it possible to use the Configuration Tool by different users simultaneously.
- 3. AwareIM server can be deployed on a remote machine. Configurators can upload applications from their local machines to the AwareIM server via the Web browser. Thus this option allows running AwareIM on a remote machine in a host environment and at the same time easily configuring and changing applications.

The required steps for each of these options are described below.

2025/11/09 15:35 3/7 Deployment Options

### Running AwarelM Web Server on a separate machine

To run **AwareIM** web application on a separate machine within a single LAN you have to make sure that the **AwareIM** server is deployed on your "server" machine(s) whereas **AwareIM** web application is deployed on a single or a cluster of "web server" machines.

Make sure you do the following:

- 1. To deploy the **AwareIM** server on the "server" machine do the following:
  - 1. Make sure that the machine has the database engine of your choice installed (alternatively the database server may be deployed on yet another machine).
  - 2. Install **AwareIM** on your server machine as described in the previous sections.
  - 3. To start the **AwareIM** server change to AwareIM/bin directory on your server machine and run the AwareIM Control Panel as described in the previous sections.
- 2. To deploy the **AwareIM** web application on the web server machine(s) do the following:
  - 1. Install **AwareIM** on your web server machine as described in the previous section.
  - 2. Modify the file AwarelMInstallationDirectory/webapps/AwarelM/webapp.props to include the name of your "server" machine in the LAN. For example,

ServerName=myAwareIMServerName

# Running Configuration Tool on a separate machine on a local area network (LAN)

To run the Configuration Tool on a machine different from the one where your **AwarelM** server is running do the following (it is assumed that the Configuration Tool and the **AwarelM** server are running on the machines connected by a Local Area Network (LAN). We will call the machine where the Configuration Tool is running, the "client" machine and the machine where the **AwarelM** server is running – the "server" machine.

- 1. Install AwareIM server on a "server" machine.
- Replace references to localhost in the BASServer.props file located in the BIN directory of the AwarelM installation on the server machine with the network name of the server machine, for example:

DirectoryServiceProvider=tcp://localhost:61616
JMS\_BROKER\_CONNECTOR=tcp://localhost:61616

- 3. Under the Windows operating system run the Configuration Tool setup program (ConfigTool.exe) located in the Windows directory of your AwarelM distribution disk from the client machine and follow the instructions of the program. You will need to specify the installation directory of the Configuration Tool and the network name of the server machine. After the Configuration Tool has been installed you can run it from the Startup menu.
- 4. Add the following line to the file UIConfig.props located in the BIN directory of the installation performed during the previous step (if the line already exists change it):

2025/11/09 15:35 4/7 Deployment Options

#### WebServer = NameOfTheMachineWhereAwareIMServerIsRunning

- 5. Under Linux operating system perform the following steps:
  - 1. Unpack the archive file with the Configuration Tool component (ConfigTool.tar.gz) to some local directory on your client machine (we assume it is called AwarelM).
  - 2. Modify the file AwareIM/ConfigTool/eclipse/ConfigTool.ini to add the name and port of your "server" machine in the LAN into the —vmargs section of the file. For example,

```
-vmargs
```

\_

Djasper.reports.compile.class.path=plugins/com.awaresoft.awareim.s hared 1.0.0/jasperreports-0.5.0.jar

- -Dawaresoft.awareim.configtool.serverName=myserver
- -Dawaresoft.awareim.configtool.serverPort=9000
- 6. To start the Configuration Tool change to the AwareIM/ConfigTool/eclipse directory on your client machine and run the ConfigTool program.

#### note

If the AwarelM Server is running on the Linux or Mac OS X machine make sure that the file etc/hosts has the following entries:

```
127.0.0.1 localhost.localdomain localhost x.x.x.x serverName
```

where x.x.x.x is the IP address of the server where AwarelM is running and serverName is the network name of the server.

Additionally if you are running the remote Configuration Tool from a Linux or Mac OS X workstation make sure that the etc/hosts file of each workstation has the same entries as the etc/hosts file on the server.

### **Running the Configuration Tool Across the Internet**

To run the Configuration Tool across the Internet where the Configuration Tool connects to a remote server located anywhere in the world perform the following steps:

- 1. Install **AwareIM** server on a remote machine.
- 2. Install either the full version of AwarelM or the standalone Configuration Tool on the client machine
- 3. Modify the UIConfig.props file located in the BIN directory and add the following properties (in the example below the URL of the server is assumed to be https://www.myserver.com:8080/MyWebApp)

2025/11/09 15:35 5/7 Deployment Options

HttpServerConnection=true WebServer=www.myserver.com WebServerPort=8080 WebServerProtocol=https WebAppBase=MyWebApp

## Running AwarelM in a web hosting environment

Organizations or individuals who for whatever reason cannot or do not want to run their application on their own server but still want web access to their **AwarelM** application can use web-hosting services of third-party companies (that we will call "web hosts" here). These companies offer their servers for companies to deploy their applications/web sites on.

There are a variety of services that web hosts offer. Usually they fall within one of the 3 categories:

	<b>Hosting Method</b>	Considerations
1.		The server is shared with other users. You do not have control on which software is installed on your server and you cannot reboot the server.
2.	Server hosting (VPS)	The server is shared with other users. However, you get your own "virtual" server with a particular operating system (Windows or Linux). You have full control over your virtual server through the remote interface (even though it is physically shared with others) – you can install any application on the server and you can reboot the server any time
3.		You have your own server that is not shared with other users. You have full control of this server through the remote interface.

The first option is usually the cheapest, while the third one is the most expensive.

Although it is theoretically possible to run **AwarelM** applications under standard shared hosting (option 1.), we do not recommend it as there are too many things that can potentially go wrong

Option 3 is the safest option and is virtually equivalent to running **AwarelM** on your own server. The only problem with this option is the price – it can range from 100 to 300 (or more) dollars a month.

Option 2 is, in our opinion, the most practical option for many users. It is relatively inexpensive (you can get VPS hosting for \$30 a month or even less) and you essentially get your own server that you have full control of. The next section discusses running **AwareIM** applications under the VPS hosting environment.

### Running AwarelM under the VPS hosting environment

Usually VPS hosting comes in two flavours – Linux VPS that uses Linux operating system and Windows VPS that offers Windows operating system. Linux VPS is much more common, however, there are more and more companies who offer Windows VPS hosting. Linux VPS is usually slightly cheaper.

It is possible to run **AwarelM** applications under both operating systems. However, please see the following tables for the comparison of using Linux VPS versus Windows VPS:

2025/11/09 15:35 6/7 Deployment Options

Linux VPS pro's	Linux VPS con's
Very common. There are a huge number of companies offering Linux VPS with different options and price range	Most web hosts offer non-graphical Linux. Running <b>AwareIM</b> under non-graphical Linux has two limitations:  It is possible to install the graphical component for Linux, but it requires some Linux expertise (or you can possibly ask the host to do it for you)
Usually cheaper than Windows VPS	Usually Linux VPS offers remote access to the Linux server via command line interface only. However, if you install a Linux graphical component it is possible to set up a remote graphical interface to the server
Windows VPS pro's	Windows VPS con's
The experience is literally equivalent to running AwarelM on your own server. You get a remote graphical interface to the server, which is like running Windows on your own machine. Very convenient.	Slightly more expensive on average than Linux VPS (although, it is now possible to find a very good deal)
	Not very common yet. Not many companies offering Windows VPS

Our recommendation is that if you can find a good deal on Windows VPS, go for it - the remote graphical user interface is worth it.

Some of the companies running good deals on Windows and Linux VPS are GoDaddy (www.godaddy.com), VPS Land (www.vpsland.com), InfoQuest (www.infoquest.com)

Once you have the VPS set up installing AwareIM is quite straightforward – transfer AwareIM installation files to your server and install it there. However, you need to watch out for these two most commonly encountered problems when running **AwareIM** in the VPS environment:

- Not enough memory memory may be a scarce resource when you have to share the machine with others. You have to make sure that there is at least 256Mb of memory available to run AwarelM. If there is not enough memory all sorts of strange problems may be encountered. Usually companies that offer VPS services offer a certain amount of "guaranteed" memory (your own) and a certain amount of "burstable" memory (shared with others).
  - 1. Do not pick web hosts that offer burstable memory only.
  - 2. Make sure that the amount of guaranteed memory is at least 256M
  - 3. Make sure that the guaranteed memory is not used by applications that are often preinstalled by a web host. If they are, uninstall them.
- 2. Port 8080 is blocked web hosts often blocks all ports other than the standard port 80. You have to configure the firewall settings of your VPS to allow external requests through port 8080 (or better still ask you web host to do this)

You can also re-configure Tomcat to use a different port (to do this open the server.xml file located in the AwareIM/Tomcat/conf directory, search for 8080 and replace it with a different number).

# Using Load Balancing to achieve better performance and scaling

Some web hosting companies, for example, Amazon offer load balancing capabilities where you can

2025/11/09 15:35 7/7 Deployment Options

allocate several servers to handle your user requests. A special load balancing software will automatically detect servers under heavy load and redirect traffic to servers with smaller load. This can dramatically increase overall performance of your system and allow scaling it up as the number of users and requests grow.

It is easy to set up **AwareIM** to work with load balancing. This is what you need to do:

- 1. Install **AwareIM** on each server that should participate in the load balancing chain. On Amazon you would allocate several server instances and install **AwareIM** on each of them
- 2. Make sure that every server instance is set up to work with the single installation of the database. It has to be either MySQL, Maria DB, SQL Server/Azure, PostgreSQL or Oracle database. Apache Derby database cannot be used. The database may reside on one of the server instances or on a separate server altogether. To setup database connection modify the BASServer.props file on each server instance as described in the previous sections.
- 3. Make sure that every instance "sticks" to its user session. For example, Amazon offers a feature called "sticky sessions". You must enable it so that the system will automatically route the request to the server that handles this particular user.

Note that load balancing should only be used in production where the system just runs already developed applications. It shouldn't be used for application development.

#### See also



This video tutorial explains AwarelM deployment and configuration options, provides answers to some frequently asked questions and explains how to deal with some common startup problems.

From:

http://www.awareim.com/dokuwiki/ - Documentation

Permanent link:

http://www.awareim.com/dokuwiki/docs/1100\_inst\_guide/0400\_deployment\_options

Last update: 2025/10/30 09:33

