

# Table of Contents

- Reference Attributes** ..... 2
- Single and multiple relationships.*** ..... 2
- Matching and non-matching relationships*** ..... 2
- Peer, Parent and Child relationships*** ..... 3

# Reference Attributes

Attributes that refer to other business objects are called *reference attributes* or simply *references*. References represent relationships between business objects. For example, the Account business object may contain a reference to a list of account transactions (represented by the Transaction business object) or the Employee business object may have a reference to the Company business object.

The relationships between objects represented by reference attributes may be of several types:


- Relationships can be single or multiple
- Relationships can be *matching* or *non-matching*
- Relationships can be *peer*, *parent* or *child*.

## Single and multiple relationships.

“Single” relationship indicates that a business object may only refer to a single instance of another business object through this relationship (for example, the Employee object may refer to only one instance of the Company object). “Multiple” relationship indicates that a business object may refer to one or more instances of another business object through this relationship (for example, the Account object may refer to multiple instances of the Transaction object).

## Matching and non-matching relationships

With matching relationships if an attribute of one business object refers to another business object there is a reference attribute in this other object (matching attribute) that refers to the first object. For example, if the Account object refers to the Transaction object through an attribute with the name MyTransactions there may be a matching attribute in the Transaction object called MyAccount that refers to the Account object. This is shown on the picture below:




Note that the MyTransactions attribute on the Account business object represents a “multiple” relationship (account may have multiple transactions) whereas the matching MyAccount attribute in the Transaction object represents a “single” relationship (transactions belong only to one account). Generally speaking, any combinations of single and multiple references are possible within the matching relationship.

Matching relationships are very convenient as far as navigation between objects is concerned. In the

example above once an instance of the Account object has been added to a particular Transaction in the Operation Mode the added Account will automatically have the Transaction in its list of transactions and vice versa - if an instance of a Transaction has been added to the list of transactions on the Account, the Account is also automatically attached to the Transaction. The corresponding forms of both the Account and Transaction objects will automatically allow navigation to the referred instances (unless presentation options are explicitly specified not to allow this - see [Presentation Options for References](#)).

With non-matching relationships there are no matching attributes on the referred object. Consequently if an instance of the second object is added to the first object in the Operation Mode only the first object will know that it has references to the instance of the second object - the instance of the second object will not know that some instance of the first object refers to it. Thus navigation from the instance of the second object directly to the instance of the first object will not be possible. Note that if the reference attribute on the first object has no matching attribute in the second object it does not mean that the second object may not refer to the first object at all through its own reference (matching or non-matching). If such reference does exist it is a completely different relationship. This is shown in the example below (FamilyMember object has a non-matching single relationship to its Family and the Family object has independent non-matching single relationship to the FamilyMember object - HeadOfFamily):



## Peer, Parent and Child relationships

Peer relationships represent relationships when instances of both business objects participating in the relationship can exist on their own. With parent ("owner") and child ("owned") relationship on the other hand, instances of the business object representing the "child" part of the relationship cannot exist without the instance of its "parent" business object. For example, the instance of a Transaction does not make sense if it is not attached to some account, so we could say that the Account and Transaction are related via a parent-child relationship where Account is parent and Transaction is child.

The following applies for parent-child relationships:

- If an instance of the parent business object is deleted instances of all "child" business objects attached to the "parent" are automatically deleted as well
- If an instance of a "child" object is removed from the instance of its "parent" object it is automatically deleted.

The above behaviour saves the trouble of configuring rules to delete child instances explicitly.

See also: [Working with References in the Operation Mode](#).

From:  
<http://www.awareim.com/dokuwiki/> - **Documentation**

Permanent link:  
[http://www.awareim.com/dokuwiki/docs/2000\\_concepts/0200\\_basics/0400\\_reference\\_attributes?rev=1661472762](http://www.awareim.com/dokuwiki/docs/2000_concepts/0200_basics/0400_reference_attributes?rev=1661472762)

Last update: **2022/09/13 18:07**

