## **Table of Contents**

## Send email to the selected contact

We need to use the pickContact method of the navigator.contacts object to display a list of contacts, let the user pick one and then we need to start a process in the application to send an email to the email address of the contact picked by the user.

The email address returned by the plugin needs to be saved in some temporary object and then this object can be used in the process. So we will create a temporary business object (persistence type – memory) called ContactParam with the single EmailAddress attribute. We will then create a process called SendEmailToContact with the ContactParam object as its input. The process will then use the SEND action to send any email to this email address (the email can use tag expressions to retrieve some information from the system – for example, from SystemSettings or from the logged in user).

To start a process we will use the AwareApp.startProcessWithInit function. It has the following signature:

Here procName is the name of the process to start, renderOption is where to display the results of the process (we can use null), objName is the name of the parameter object, initValues is the object storing values of the parameter object and context contains additional parameter objects (null in our case)

So our Javascript can look like this:

```
navigator.contacts.pickContact (function (contact)
{
    var email = contact.emals[0].value;
    AwareApp.startProcessWithInit ("SendEmailToContact", null,
"ContactParam", { "EmailAddress" : email }
},
function (error { console.log (error); }
);
```

Then we just need to add a command of the "Execute Script" type to the mobile menu of the application.

From:

http://www.awareim.com/dokuwiki/ - Documentation

Permanent link:

http://www.awareim.com/dokuwiki/docs/3500/0800/0890/0892

Last update: 2023/04/05 06:13

