

Table of Contents

toSQL (String, Collection, ISQLBuilderHelper) 2

[Index](#), [Programmers Reference](#), [Methods](#), [IFunctionLibrary Interface](#), [toSQL](#)

toSQL (String, Collection, ISQLBuilderHelper)

```
public String toSQL (String functionName, Collection parameters,
ISQLBuilderHelper helper)
throws Exception
```

This method must return the SQL representation of the function if it supports one. The SQL representation is essential if a function is to be used in queries. If the SQL representation is not provided it will not be possible to use the function in queries. See also an example later in this section.

Parameters

functionName	the name of the function in the library that needs to be represented in the SQL form.
parameters	parameters of the function specified as a collection of the <code>IArithmeticNode</code> objects. To get an SQL representation of a parameter use the <code>toSQL</code> method of the <code>IArithmeticNode</code> interface.
helper	a call-back interface that contains certain methods that may help define the SQL representation. See the ISQLBuilderHelper interface.

Returns

A string representing the SQL expression that calculates the function value.

Throws

`UnsupportedSQLElementException` if the SQL representation for the function is not supported.

From:
<http://www.awareim.com/dokuwiki/> - **Documentation**

Permanent link:
http://www.awareim.com/dokuwiki/pr_methods/tosql

Last update: **2023/05/03 04:53**

