

Table of Contents

- Actions And Functions
 - Actions
 - ADD OFFLINE DATA
 - Assignment action
 - CLEAN
 - CLEAR CONTEXT
 - CLEAR OFFLINE DATA
 - CLOSE TAB
 - COMMIT TRANSACTION
 - CONNECT TO EMAIL
 - COPY FILE
 - CREATE
 - CREATE BUCKET
 - DELETE
 - DELETE FILE
 - DISCONNECT FROM EMAIL
 - DISPLAY
 - DISPLAY DOCUMENT
 - DISPLAY LAYOUT
 - DISPLAY MESSAGE
 - DISPLAY PERSPECTIVE
 - DISPLAY QUESTION
 - DISPLAY URL
 - DOWNLOAD DOCUMENT
 - DUPLICATE
 - EDIT
 - END PROCESS
 - ENTER NEW
 - EXECUTE PROGRAM
 - EXEC_SCRIPT
 - EXEC_SP
 - EXEC_SQL
 - EXEC_STRING
 - EXPORT
 - EXPORT DOCUMENT
 - FIND
 - GO OFFLINE
 - IMPORT
 - IMPORT DOCUMENT
 - IMPORT RELATIONSHIPS
 - Incremental action
 - INSERT
 - LOG2
 - LOG2 CONTEXT
 - LOGOUT
 - LOGOUT2
 - MAKE DIRECTORY
 - MOBILE CAMERA GET INTO
 - MOBILE CAMERA SNAP INTO
 - MOBILE GET LOCATION INTO
 - MOBILE PUSH

- MOBILE START LOCATION WATCH INTO
- MOBILE STOP LOCATION WATCH FROM
- MOBILE SUBSCRIBE TO
- PICK FROM
- PRINT DOCUMENT
- PRINT FORM
- PROTECT
- REMOVE
- RENAME DOCUMENT
- REPLACE
- REPORT ERROR
- REQUEST SERVICE
- SAVE SCREEN
- SEND
- SET
- SET PROGRESS
- START PROCESS
- UPDATE
- VIEW
- Functions
 - All Functions
 - ABS
 - AGE
 - APP_COPYRIGHT
 - APP_PRODUCT_ID
 - APP_NAME
 - APP_VERSION
 - AS_DATE
 - AS_NUMBER
 - AS_STRING
 - AS_TIMESTAMP
 - BSV_VERSION
 - BUSINESS_DAY_BACK
 - BUSINESS_DAY_FORWARD
 - CEILING
 - CHARS_FROM_LEFT
 - CHARS_FROM_RIGHT
 - CONTEXT_SIZE
 - CR
 - CURRENCY_SYMBOL
 - CURRENT_DATE
 - CURRENT_DAY_OF_MONTH
 - CURRENT_DAY_OF_WEEK
 - CURRENT_DAY_OF_YEAR
 - CURRENT_HOUR
 - CURRENT_MINUTE
 - CURRENT_MONTH
 - CURRENT_TIMESTAMP
 - CURRENT_WEEK
 - CURRENT_YEAR
 - DATE

- DATE_ADD
- DATE_PART
- DAYS
- DAY_DIFFERENCE
- DAY_DIFFERENCE2
- DAY_NUMBER_IN_WEEK
- DAY_OF_MONTH
- DAY_OF_WEEK
- DAY_OF_YEAR
- DECRYPT_B64
- DECRYPT_BASE64
- DISTANCE
- DQ
- ELEMENT_COUNT
- ELEMENT_COUNTER
- ENCRYPT_B64
- ENCRYPT_BASE64
- ENCRYPT_DOC_BASE64
- END_OF_WEEK
- EVAL_STRING
- EXACT
- EXEC_SPF
- EXP
- FILE_EXISTS
- FILE_EXTENSION
- FILE_LAST_MODIFIED
- FILE_NAME
- FILE_SIZE
- FIRST_DAY_OF_MONTH
- FIRST_DAY_OF_NEXT_MONTH
- FIRST_DAY_OF_PREV_MONTH
- FLOOR
- FULL_YEARS
- FV
- GENERATE_PWD
- GET_ATTR_VALUE
- GET_CHANGES
- GROUP_MEMBER
- HOUR
- HOURS
- IMAGE_HEIGHT
- IMAGE_WIDTH
- INDEX_OF
- IN_CONTEXT
- LAST_DAY_OF_MONTH
- LAST_DAY_OF_NEXT_MONTH
- LAST_DAY_OF_PREV_MONTH
- LAST_INDEX_OF
- LENGTH
- LIST
- LIST_LINE

- LIST_SIZE
- LIST_TABLE
- LIST_TABLE_END
- LIST_TABLE_START
- LIST_TO_JSON
- LN
- LOG
- MATCHES
- MAX2
- MIN2
- MINUTE
- MINUTES
- MOD
- MONTH
- MONTH_ADD
- MONTH_DIFFERENCE
- MONTH_DIFFERENCE2
- MONTH_TEXT
- NMB_OF_SESSIONS
- NATIVE_MOBILE_MODE
- NEG
- NESTING_LEVEL
- NEXT_DAY_OF_WEEK
- NEXT_SEQUENCE_NMB
- NEXT_SEQUENCE_TIME
- NFORMAT
- NMB_OF_USERS
- NPER
- NUMBER_OF_PAGES
- OLD_VALUE
- PAD_LEFT
- PAD_RIGHT
- PAGE_NUMBER
- PARSE_JSON
- PARSE_JSON2
- PARSE_XML
- PMT
- POWER
- PREV_DAY_OF_WEEK
- PV
- RANDOM
- READ_TEXT_FILE
- REPLACE_PATTERN
- ROUND
- SCALE_IMAGE
- SEARCH_COUNT
- SECONDS
- SIGN
- SQRT
- START_OF_WEEK
- SUBSTRING

- SUB_DOCUMENT
- TESTING_MODE
- TIMESTAMP
- TIME_ADD
- TO_LOWER_CASE
- TO_PROPER_CASE
- TO_TIMEZONE
- TO_UPPER_CASE
- TRANSLATE
- TRIM
- TYPE
- URL_CONTENTS
- URL_DECODE
- URL_ENCODE
- WEEK
- WEEKS
- WEEK_DIFFERENCE
- WORDS_FROM_LEFT
- WORDS_FROM_RIGHT
- WORD_NUMBER
- YEAR
- YEAR_DIFFERENCE
- Date and Time Functions
- Financial Functions
- Image Functions
- Mathematical Functions
- Report And Documentation Functions
- Text Functions
- Miscellaneous
- b_i
 - Applicability Rules & IS UNDEFINED
 - Arithmetic In Find
 - Functions Exclusive To Cloudbase Derby
 - Function Limitations In Subqueries
 - Loss Of LAN Connection
 - MS Word Document Support In Linux & Mac
 - Printing From MS Excel In Linux & Mac
 - Printing HTML Documents From Rules
 - Report Summary Pane Resizing In Mac
 - Report Band Resizing In Mac
 - Required With Owned By References
 - Sorting References In Business Object Group Queries
 - Undefined With Multiple References
 - Unsupported Functions In Queries
 - Use Of IN With Complex Identifiers
- changelog
 - Prior Versions
 - Version 3
 - Build 1018
 - Build 1019
 - Build 1020

- Build 1021
- Build 1022
- Build 1023
- Build 1024
- Build 1025
- Build 1026
- Build 1027
- Build 1028
- Build 1032
- Build 1033
- Build 1034
- Build 1035
- Build 1036
- Build 1038
- Build 1039
- Build 1040
- Build 1041
- Build 1042
- Build 1044
- Version 4
 - Version 4.0
 - Build 1125
 - Build 1128
 - Build 1133
 - Build 1134
 - Build 1135
 - Build 1136
 - Build 1137
 - Build 1138
 - Build 1142
 - Build 1143
 - Build 1147
 - Build 1151
 - Version 4.1
 - Build 1154 v4.1
 - Build 1157
 - Build 1158
 - Build 1159
 - Build 1160
 - Build 1161
 - Build 1162
 - Build 1163
 - Build 1165
 - Build 1166
 - Version 4.5
 - Build 1183
 - Build 1184
 - Build 1187
 - Build 1188
 - Build 1195
 - Build 1197

- Build 1199 4.5
- Version 4.6
 - Build 1204
 - Build 1205
 - Build 1206
 - Build 1209
 - Build 1210
 - Build 1212
 - Build 1213
 - Build 1216
 - Build 1218
- Version 4.7
 - Build 1223
 - Build 1229
 - Build 1238
 - Build 1239
 - Build 1242
 - Build 1246
- Version 4.8
 - Build 1266
 - Build 1269
 - Build 1270
 - Build 1272
 - Build 1275
 - Build 1280
- Version 4.9
 - Build 1301 v4.9
 - Build 1309
 - Build 1321
 - Build 1322
 - Build 1325
 - Build 1326
 - Build 1327
 - Build 1328
 - Build 1330
 - Build 1334
 - Build 1336
 - Build 1337
 - Build 1339
 - Build 1349
 - Build 1351
 - Build 1359
 - Build 1360
 - Build 1365
 - Build 1372 V4.9
- Version 4.95
 - Build 1388
 - Build 1394
 - Build 1399
- Version 4.2
- Version 4.3

- [Version 4.4](#)
- [Version 5](#)
 - [Version 5.0](#)
 - [Build 1407](#)
 - [Build 1410](#)
 - [Build 1412](#)
 - [Build 1414](#)
 - [Build 1416](#)
 - [Build 1420](#)
 - [Version 5.1](#)
 - [Build 1423](#)
 - [Build 1424](#)
 - [Build 1425](#)
 - [Build 1426](#)
 - [Build 1427](#)
 - [Build 1430](#)
 - [Build 1440](#)
 - [Build 1441](#)
 - [Build 1443](#)
 - [Build 1444](#)
 - [Build 1445](#)
 - [Build 1446](#)
 - [Build 1451](#)
 - [Build 1452](#)
 - [Build 1454](#)
 - [Build 1462](#)
 - [Build 1471](#)
 - [Version 5.2](#)
 - [Build 1513](#)
 - [Build 1516](#)
 - [Version 5.6](#)
 - [Build 1638](#)
 - [Version 5.7](#)
 - [Build 1691](#)
 - [Build 1693](#)
 - [Build 1694](#)
 - [Build 1695](#)
 - [Build 1698](#)
 - [Build 1700](#)
 - [Build 1701](#)
 - [Build 1703](#)
 - [Build 1705](#)
 - [Build 1706](#)
 - [Build 1707](#)
 - [Build 1712](#)
 - [Build 1714](#)
 - [Build 1715](#)
 - [Build 1717](#)
 - [Build 1719](#)
 - [Version 5.8](#)
 - [Build 1797 v5.8](#)

- Build 1802
- Build 1805
- Build 1809
- Build 1811
- Build 1812
- Build 1814
- Build 1881
- Build 1885
- Build 1886
- Build 1889
- Build 1891
- Build 1893
- Build 1894
- Build 1895
- Build 1897
- Build 1898
- Build 1899
- Build 1900
- Build 1903
- Build 1904
- Version 5.3
- Version 5.4
- Version 5.5
- Build 1528 v5.3
- Build 1533
- Build 1535
- Build 1539
- Build 1546
- Build 1548
- Build 1549
- Build 1588
- Build 1590
- Build 1592
- Build 1594
- Build 1595
- Build 1596
- Build 1597
- Build 1598
- Build 1599
- Build 1602
- Build 1603
- Build 1606
- Build 1607
- Build 1608
- Build 1609
- Build 1611
- Build 1613
- Build 1614
- Build 1616
- Build 1617
- Build 1640

- [Build 1642](#)
- [Build 1644](#)
- [Build 1646](#)
- [Build 1647](#)
- [Build 1648](#)
- [Build 1650](#)
- [Build 1653](#)
- [Build 1654](#)
- [Build 1655](#)
- [Build 1657](#)
- [Build 1659](#)
- [Build 1664](#)
- [Build 1667](#)
- [Build 1668](#)
- [Build 1671](#)
- [Build 1908](#)
- [Version 6](#)
 - [Version 6.0](#)
 - [Build 2010 v6.0](#)
 - [Build 2014](#)
 - [Build 2017](#)
 - [Build 2018](#)
 - [Build 2019](#)
 - [Build 2020](#)
 - [Build 2022](#)
 - [Build 2023](#)
 - [Build 2024](#)
 - [Build 2027](#)
 - [Build 2038](#)
 - [Build 2029](#)
 - [Build 2030](#)
 - [Build 2031](#)
 - [Build 2034](#)
 - [Build 2035](#)
 - [Build 2037](#)
 - [Build 2038](#)
 - [Build 2039](#)
 - [Build 2040](#)
 - [Build 2041](#)
 - [Build 2042](#)
 - [Build 2045](#)
 - [Build 2046](#)
 - [Build 2051](#)
 - [Build 2052](#)
 - [Build 2056](#)
- [Version 7](#)
 - [Version 7.0](#)
 - [Build 2144](#)
 - [Build 2146](#)
 - [Build 2147](#)
 - [Build 2148](#)

- Build 2152
- Build 2154
- Build 2155
- Build 2156
- Build 2157
- Build 2158
- Build 2160
- Build 2161
- Build 2162
- Build 2163
- Build 2164
- Build 2165
- Build 2166
- Build 2167
- Build 2168
- Build 2169
- Build 2171
- Build 2172
- Build 2173
- Build 2174
- Build 2175
- Build 2177
- Build 2179
- Build 2180
- Build 2181
- Version 7.1
 - Build 2223
 - Build 2224
 - Build 2225
 - Build 2226
 - Build 2227
 - Build 2229
 - Build 2235
 - Build 2236
 - Build 2237
 - Build 2238
 - Build 2240
- Version 8
 - Version 8.0
 - Build 2341
 - Build 2343
 - Build 2344
 - Build 2345
 - Build 2346
 - Build 2348
 - Build 2349
 - Build 2352
 - Build 2353
 - Build 2355
 - Build 2357
 - Build 2358

- Build 2360
- Build 2361
- Build 2363
- Build 2365
- Build 2367
- Build 2370
- Build 2371
- Build 2372
- Build 2373
- Build 2374
- Build 2375
- Build 2377
- Build 2378
- Version 8.1
 - Build 2452
 - Build 2453
 - Build 2454
 - Build 2455
 - Build 2457
 - Build 2458
 - Build 2459
 - Build 2460
 - Build 2461
 - Build 2464
 - Build 2465
 - Build 2466
 - Build 2467
 - Build 2468
 - Build 2469
 - Build 2475
 - Build 2476
 - Build 2477
- Version 8.2
 - Build 2559
 - Build 2560
 - Build 2561
 - Build 2562
 - Build 2563
 - Build 2565
 - Build 2569
 - Build 2570
 - Build 2571
 - Build 2572
 - Build 2573
 - Build 2574
- Version 8.3
 - Build 2613
 - Build 2614
 - Build 2615
 - Build 2616
 - Build 2617

- Build 2621
- Build 2622
- Build 2623
- Build 2624
- Build 2625
- Build 2626
- Build 2628
- Build 2629
- Build 2630
- Build 2631
- Version 8.4
 - Build 2705
 - Build 2707
 - Build 2708
 - Build 2709
 - Build 2710
 - Build 2711
 - Build 2712
 - Build 2713
 - Build 2714
 - Build 2718
 - Build 2719
 - Build 2720
 - Build 2721
 - Build 2772
- Version 8.5
 - Build 2815
 - Build 2816
 - Build 2817
 - Build 2818
 - Build 2819
 - Build 2820
 - Build 2822
 - Build 2823
 - Build 2824
 - Build 2827
 - Build 2828
 - Build 2829
 - Build 2830
 - Build 2831
 - Build 2832
 - Build 2833
 - Build 2834
 - Build 2935
 - Build 2836
- Version 8.6
 - Build 2916
 - Build 2917
 - Build 2917
 - Build 2919
 - Build 2917

- Build 2917
- Build 2922
- Build 2924
- Build 2925
- Build 2926
- Build 2927
- Build 2928
- Build 2929
- Build 2917
- Build 2931
- Build 2932
- Build 2933
- Build 2934
- Build 2935
- Build 2936
- Build 2937
- Build 2938
- Build 2940
- Build 2941
- Build 2943
- Build 2944
- Build 2945
- Version 8.7
 - Build 3006
 - Build 3011
 - Build 3012
 - Build 3014
 - Build 3015
 - Build 3016
 - Build 3017
 - Build 3020
 - Build 3022
 - Build 3023
 - Build 3024
 - Build 3025
- Version 8.8
 - Build 3123
 - Build 3124
 - Build 3125
 - Build 3126
 - Build 3127
 - Build 3128
 - Build 3132
 - Build 3135
 - Build 3136
 - Build 3137
- Version 9
 - Version 9.0
 - Build 3232
 - Build 3237
 - Build 3238

- Build 3240
 - Build 3241
 - Build 3243
 - Build 3244
 - Build 3246
 - Build 3247
 - Build 3249
 - Build 3254
 - Build 3257
 - Build 3259
 - Build 3260
 - Build 3263
 - Build 3264
 - Build 3265
 - Build 3268
 - Build 3269
 - Build 3271
 - Build 3272
 - Build 3273
 - Build 3274
 - Build 3275
 - Build 3279
 - Build 3280
- Version 10.0
 - Build 3479
 - Build 3481
 - Build 3483
 - Build 3485
 - Build 3500
 - Build 3502
 - Build 3503
 - Build 3504
 - Build 3505
 - Build 3506
 - Build 3508
 - Build 3510
 - Build 3512
 - Build 3515
 - Build 3519
 - Build 3520
 - Build 3522
 - Build 3523
 - Build 3525
 - Build 3528
 - Build 3529
 - Build 3530
- docs
 - Quick Tour
 - Introduction
 - Configuration
 - Testing

- Application Deployment
- Installation Guide
 - Database integration
 - MySQL
 - MS SQL Server
 - Oracle
 - MS Azure, Maria DB & PostgreSQL
 - Windows Installation
 - Linux Installation
 - MacOS Installation
 - Deployment Options
 - Java installation
 - Troubleshooting
- Getting Started
 - Introduction
 - Configuring Applications
 - Testing Application
 - Making Changes to the Application
 - Deploying the Application
- AwareIM Concepts
 - Basic Concepts
 - Business Objects as Carriers of Data
 - Business Rules as Carriers of Business Logic
 - Processes as Links between User Interface and Business Logic
 - Reference Attributes
 - Business Space
 - Business Object Groups
 - User Interface
 - Visual Perspective
 - Operations
 - Data Entry and Editing
 - Business Object Forms
 - Form Sections
 - Navigation Style
 - Form Operations
 - Data Retrieval
 - Configuring Queries
 - Queries that Require User Input
 - Running Queries in the Operation Mode
 - Building Queries in the Operation Mode
 - Searching for Data using Forms
 - Data Presentation
 - Standard Form of Query Results
 - Custom Form of Query Results
 - Calendar Form of Query Results
 - Data Processing
 - Rule Evaluation
 - Evaluation of Unordered Rule Collections
 - Overview of the Rule Engine Framework
 - Example of Rule Engine Execution
 - "While" Semantics

- Did it Change?
 - Rule Priorities
 - Context of Rule Execution
 - How Context is Formed
 - Instance Prefixes
 - Other Usages of Context
 - Context
 - Aggregate Operations
 - Action Execution
 - Cross-reference Rules
 - Other Points Related to Action Execution
 - Evaluation of Rule Collections
 - Evaluation of Rules Containing WAS CHANGED expressions
 - Initialization Rules
 - Summary of Rule Evaluation
- Rules and Transactions
 - Long Operations
 - Batch Operations
 - Process Failure Rules
- Execution Log
- Rule Debugger
- Configuration of Rules
- Productivity Features
 - Access Control
 - Access Level
 - Login
 - Working with Documents and Reports
 - Document Management
 - Document Generation
 - Reports
 - Communication with Other Systems
 - Intelligent Business Objects
 - Requesting Services and Sending Notifications
 - Integration With Stripe Payments
 - Export and Import
 - Export and Import in the Operation Mode
 - Export and Import from Business Rules
 - Exporting and Importing Relationships
 - Scheduling
 - E-mail Handling
 - Setting Initial Values of the Application
 - Extending AwareIM
 - Performance Profiler
- Configuration Process
 - Configuration Guidelines
 - Configuration steps
 - Business objects
 - Business object rules
 - Processes
 - User interface
 - Configuration principles

- Business objects represent elements of business environment
 - Business object groups unite dissimilar objects
 - Object rules perform all information processing
 - Object rules are self-contained
 - Object rules are attached to the right objects
- Business Space Versions and Version Control
- Productivity Features
- Testing Mode
- Working with AwareIM in Hosting Environment
- Aspects of Information Management System
- Data Storage
- Configuring Applications
 - Working with Business Space Versions
 - Major and Minor Versions
 - Creating Minor Version
 - Creating Major Version
 - Lifecycle of a Business Space Version
 - Loading Business Space Version
 - Updating Business Space Version
 - Checking Version Integrity
 - Testing Business Space Version
 - Publishing Business Space Version
 - Working with a Business Space Version in a Multi-Developer Mode
 - Deleting Business Space Version
 - Viewing Properties and History of the Business Space Version
 - Exporting Business Space Version
 - Importing Business Space Version
 - Refreshing Business Space Version
 - Working with Configuration Elements
 - Adding Elements
 - Editing/Viewing Elements
 - Deleting Elements
 - Copying Elements
 - Pasting Elements
 - Adding/Editing Business Objects
 - Specifying General Properties
 - Name
 - Description
 - Category
 - Persistence
 - Communication
 - Attributes tab
 - Forms tab
 - Update and Deletion Rules tabs
 - Presentations tab
 - Defining Forms
 - Form Properties
 - Name
 - Description
 - Width
 - Height

- Stretch to bottom of screen
- Panel Header and Caption
- Use automatic
- Navigation Type
- Tab reordering
- Mobile tabs
- Tabbar position
- Centre Align Form
- Autosave
- Display Mask
- Button Aligment
- Panel Operations
- Form Auto Refresh Settings
- Form panel resizing
- CSS Style and CSS class
- Responsiveness
- Tour
- Scripts
- Adding/Editing Form Sections
 - Form Section Properties
 - Defining Form Section Layout
 - Specifying which attributes will be shown on the form
 - Cell Properties
 - Multiple columns
 - Merging and splitting cells
 - Displaying reference tables
 - Putting cells inside group boxes
 - Adding HTML
 - Adding buttons/links to forms
 - Forms that use Google Maps
 - Forms that use Gauge Chart
 - Forms that use QR codes
 - Forms that use Barcodes
 - Show preview of the form on phones and tablets
- Adding/Editing Panel Operations
 - Edit Toolbar
 - Adding/Editing an operation
 - Operation Types
- Adding/Editing Forms
- Adding Custom HTML forms
- Defining Intelligent Business Objects
 - Setting Properties of the E-mail Channel
 - Setting Properties of the SOAP Channel
 - Setting Properties of the URL Channel
 - Setting Properties of the REST Channel
- Defining Presentations
- Adding Business Objects from JSON Schema
- Adding/Editing Attributes
 - Setting Properties of Reference Attributes
 - Displaying references as a table
 - Displaying references as a tree

- Diagram of Object Relationships
- Common Properties
- Setting Properties of Plain Text Attributes
- Setting Properties of Number Attributes
- Setting Properties of Date, Timestamp and Duration Attributes
- Setting Properties of Picture Attributes
- Setting Properties of Document Attributes
- Setting Properties of Shortcut Attributes
- Setting Properties of Yes/No Attributes
- Adding/Editing Rules
 - Working with Rule Collection
 - Adding/Editing Rule using Standard View
 - Adding/Editing Rule using Textual View
 - Rule Properties
 - Context Assistant
- Adding/Editing Queries
 - Displaying Query Results
 - Standard Grid
 - Custom Presentation
 - Calendar/Scheduler Presentation
 - Chart Presentation
 - Timeline of Events Presentation
 - Tree Presentation
 - Query Filters
 - Query Properties
 - Specifying Query Using Standard View
 - Specifying Query Using Textual View
- Adding/Editing Visual Perspectives
 - Working with Visual Perspective Editor
 - Defining Layout of Content Panels
 - Responsive Grid (Simple) Layout
 - Responsive Grid (Nested) Layout
 - Vertical Anchor Layout
 - Vertical Box Layout
 - Horizontal Layout
 - Column Layout
 - Table Layout
 - Border Layout
 - Accordion Layout
 - Setting Menu Properties
 - Setting Menu Item Properties
 - Defining Frame Properties
 - Defining Tab Properties
 - Defining Content Panel Properties
 - Defining Content Panel with HTML Content
 - Using Tiles in Dashboards
- Working with Data Stored in Existing Database Tables or LDAP
 - Defining Business Objects that Use Existing Database Tables
 - Defining Business Objects that Use Data from LDAP Server /Active Directory
 - Using LDAP/Active Directory for Login
- Email Handling

- Setting Options for Incoming E-mail Handling
- Sending Outgoing E-mail
- Handling Unsent E-mail
- Working with Report/Presentation Designer
 - Editing Report/Presentation Elements
 - Editing General Properties
 - Editing Text Element
 - Editing Tag Element
 - Setting Hyperlink Properties
 - Editing Graphical Elements
 - Editing Conditional Element
 - Editing Sub-report/Sub-presentation Element
 - Editing Table Element
 - Working with Charts
 - Report/Presentation Bands
 - Adding Report/Presentation Elements
 - Setting System Calculation Properties
 - Using Toolbar to change Report/Presentation Elements
 - Setting Report/Presentation Properties
 - Add/Delete Group Bands
 - Adding/Deleting Custom Font
 - Finding Design Element
 - Alignment and Positioning
 - Previewing the Report
 - Miscellaneous Commands
- Overview of the Configuration Tool
- Finding where Element is Used
- Adding/Editing Processes
- Adding/Editing Business Object Groups
- Adding/Editing Notifications
- Adding/Editing Document Templates
- Adding/Editing Access Levels
- Multi-step Processes
- Adding/Editing Worksheets
- Form and Grid Styles
- Creating Applications in Different Languages
- Right-to-left Support
- Adding/Editing Services
- Scheduling
- Adding/Editing Business Spaces
- Handling Login Events
- Handling Logout Events
- Adding Appointment Objects
- Login via social media sites and other applications
- Implementing Single Sign-on using SAML protocol
- Generating Documentation
- View Configuration Tool Settings
- Show System Objects
- Searching for Elements in a Business Space Version
- Backing up and Restoring Operational Data
- Data Migration

- Managing Configuration Users
- Working on the Same Business Space Version Concurrently (Multi-Developer Mode)
- Protecting Business Space Version
- Comparing Business Space Versions
- Logging into the Operation Mode
- Re-connecting to the AwareIM Server
- Undoing and Redoing Changes
- Building Runtime Executable
- Configuring Applications for Mobile Devices
- Creating Native Mobile Applications
- Determining Current Location of the User
- Rule Language
 - About this document
 - Conventions
 - Rule Definition
 - Rule Condition
 - Actions
 - Special usage of rules
 - Notes on rule execution
- Actions And Functions
 - Actions
 - Functions
- Mobile Applications
 - Introduction
 - General Approach
 - Login
 - Using Visual Perspectives
 - Using Queries
 - Using Forms of Business Objects
 - Display & Upload Images from Camera and/or Photo Library
 - Sending Push Notifications to Mobile Phones
 - Getting Location of the Current User
 - Displaying Google Maps
 - Embedding Video
 - Using Processes
 - Building native mobile applications
- How To...
 - AwareIM Basics
 - How to go about system configuration
 - How to start configuring the system
 - How to define database tables and database columns
 - How to define links between database tables
 - How to set up calculated fields
 - How to set up business rules
 - How to test the configured system
 - How to deploy the configured system
 - How to create records
 - How to edit records
 - How to look for records
 - How to delete records
 - How to change default database used

- Forms And User Interfaces
 - How to design a form
 - How to attach actions to buttons
 - How to control the order of attributes on automatically generated forms
 - How to initialize form controls
 - How to validate user input
 - How to set up custom form layout
 - How to set up forms with tabs
 - How to use different forms for different users
 - How to show related records
 - How to choose values from a list
 - How to set up system menu
 - How to set up custom menu
 - How to customize colors and fonts
 - How to display a hierarchy of related records
 - How to display Microsoft Outlook-like calendar
 - How to synchronize with Google, Outlook, Exchange and other third party calendars
 - How to show records in different colors
 - How to display different icons for different types of records
 - How to display a form of a child object inside the form of the parent object
 - How to display attributes in different colors
 - How to display attributes as read-only
 - How to make an attribute visible, read-only, mandatory or display a different set of choices on a particular form only
 - How to implement "wizard" forms
 - How to make your application "responsive" to different screen sizes
 - How to recalculate values in controls dynamically after a user changes some values
 - How to show/hide/disable/enable controls dynamically after a user changes some values
 - How to start processes from forms
 - How to show Google Maps
 - How to show thumbnails
 - How to create dashboards and allow end users to customize them
 - How to implement item reordering within a grid or custom query
 - How to implement drag-and-drop between grids
 - How to use the "Screen Tour" feature
 - How to add support for electronic signature to your application
 - How to add right-to-left support
 - How to embed video in a form
 - How to use CSS
 - How to use icon fonts to display an icon for a button
 - How to display colour editor
 - How to let users edit images stored in attributes of the Picture type
- Charts
 - How to show charts
 - How to add Gantt chart to your application
 - How to use charts in reports
- Business Rules
 - What is the difference between processes and business rules?

- How to define a rule
- How to find a rule
- How to deal with rules that need to be evaluated in a strict order
- How to make sure that action is executed only once
- How to perform an action on multiple business objects
- How to check whether rules are executing correctly
- Reports And Documents
 - How to design a report
 - How to produce and print out a report
 - How to refer to database fields in a report
 - How to perform calculations in a report
 - How to group records in a report
 - How to include related records in a report
 - How to include an element in a report conditionally
 - How to print an element in different colors depending on some conditions
 - How to enumerate elements in a report
 - How to re-use a report
 - How to store documents and files
 - How to do "document merge"
 - How to let end users define their own reports, document templates and queries
 - How to implement multiple file upload for documents
 - How to let users edit documents
 - How to work with embedded spreadsheets
- Users And Login
- Emails
- Security And Protection
- Integration With Other Systems
- Mobile Applications
- Miscellaneous
- Tips and Tricks
- Programmer's Reference
 - Adding custom processes
 - Writing code for a custom process component
 - Examples of custom process components
 - IExecutionEngine interface
 - IExecutionContext interface
 - IEntity interface
 - IEntityTemplate interface
 - INotification interface
 - Adding custom channels
 - Implementing Channel's Source and Sink
 - Writing a Sink
 - Writing a Source
 - Handling replies to service requests
 - MessageInterpreter class
 - MessageBuilder class
 - Implementing Channel Type component
 - Implementing Channel Settings Editor
 - Adding function libraries
 - Implementing function library

- ISQLBuilderHelper interface
- Function library example
- Adding custom document types
 - Implementing Client Side Component
 - Implementing Server Side Component
 - DataPresentationTemplate class
 - IDocumentDataSource interface
 - Document Engine Example
- Adding report scriptlets
 - Implementing code for the scriptlet
 - IReportEnvironment interface
 - Report Scriptlet Example
- Writing client-side plugins
 - Using Javascript to integrate custom Cordova plugins for native mobile applications
 - Creating a contact on the phone
 - Send email to the selected contact
 - Architecture of the client-side code
 - Modifying default behavior and presentation of queries
 - Modifying default behavior and presentation of forms
 - Modifying default behavior and presentation of form sections
 - Modifying default presentation of individual fields on forms
 - Modifying default behavior of menu in visual perspectives
 - Modifying default behavior and presentation of content panels in visual perspectives
 - AwareApp object
- Adding programming extensions to AwareIM
- General Guidelines
- Methods
- Appendix A: correspondence of attribute types and Java types
- AI Integration
 - Data Maestro
 - Data Maestro In CRM Sample App
- Videos
 - 1. Getting Started with AwareIM
 - 2. AwareIM Deployment and Configuration
 - 3. Creating your First AwareIM Application
 - 4. Relationships in AwareIM
 - 5. Relationship Diagrams
 - 6. Forms
 - 7. Presentation Styles and Presentation Rules in Forms
 - 8. Adding Buttons and HTML to Forms
 - 9. Advanced Forms
 - 26. User Defined Documents
 - 10. Custom HTML forms
 - 11. Business Rules
 - 12. Rule Execution
 - 13. Processes
 - 14. Rule Context and Instance Prefixes
 - 15. Rule Debugger
 - 16. Using CREATE Action in Business Rules

- 17. Queries
- 18. Presentation of Queries
- 19. Displaying Attributes of Related Objects Using Shortcuts
- 20. Custom Queries
- 21. Kanban Boards
- 22. Visual Perspectives
- 23. Access Control
- 24. Document Templates
- 25. Document Files
- 27. Images
- 28. Emails
- 29. Calendar and Scheduler
- 30. Trees
- 31. Charts
- 32. Gantt Charts
- 33. Google Maps
- 34. Mobile Applications
- 35. Building Native Mobile Applications
- 36. Building Native Mobile Applications Using Monaca
- 37. Sending Push Notifications
- 38. Accessing Camera, Photo Library, Retrieving Geo Location
- 39. Deploying Applications for Multiple Tenants
- 40. Accessing Existing Databases, Active Directory and LDAP
- 41. Web Services
- 42. Consuming REST-ful Services
- 43. Developing Applications for Different Languages
- 44. User Defined Workflows
- 45. Import and Export Templates
- 46. Using Performance Profiler
- 47. Interacting with Preview
- 48. Concurrent Development
- 49. Responsiveness
- 50. Offline Mode
- 51. Auto Refresh
- 52. Business Object Groups
- 53. Standalone Input Controls
- 54. User Tours
- 55. Cascading Drop Downs
- 56. Form and Grid Styles
- 57. Auto-Incremented Attributes
- 58. User Defined Dashboards
- 59. Multi-step Processes
- 60. Long-running Processes
- 61. Using CSS and Javascript
- 62. Optimization of AwareIM Applications
- 63. Developing Java Plugings - Part 1
- 64. Developing Java Plugings - Part 2
- 65. Developing Java Plugings - Part 3
- 66. Building an Application (part 1 of 6)
- 67. Building an Application (part 2 of 6)
- 68. Building an Application (part 3 of 6)

- 69. Building an Application (part 4 of 6)
- 70. Building an Application (part 5 of 6)
- 71. Building an Application (part 6 of 6)
- 72. Integration with Stripe Multiparty Payments
- 73. Version 9.0
- 74. Query Filters
- 75. Tiles In Visual Perspectives
- 76. Inline Editing Widgets
- 77. Google Maps Markers
- 78. Improvements In Charts
- 79. Version 10
- 80. Using Ai
- 81. Data & Import Export
- Case Study
 - Configuration of the Library Application
 - Business Objects and Relationships
 - Configuration of Business Objects
 - Defining ItemType Object
 - Defining Item Object
 - Defining a Reference Attribute
 - Defining Loan Object
 - Defining Member Object
 - Defining Other Objects
 - Attributes of Business Objects
 - Business Rules
 - Item Object
 - Member Object
 - Loan Object
 - Reservation Object
 - Payment Object
 - Operations
 - "Borrow item" operation
 - Invoking the "Borrow Item" operation from the Member form
 - Invoking the "Borrow Item" operation from the Item form
 - Invoking the "Borrow Item" operation from query results
 - Expiring Reservations and Processing Overdue Loans
 - Expiring Reservations
 - Processing Overdue Loans
 - "Register new member" operation
 - "Find member" operation
 - "Change member details" operation
 - "Register new item" operation
 - "Find item" operation
 - "Change item details" operation
 - "Register new item type" operation
 - "Change item type details" operation
 - "Renew Loan" operation
 - "Return Item" operation
 - "Reserve Item" operation
 - "Cancel Reservation" operation
 - "Register Fee" operation

- "Register Payment" operation
 - Fine-tuning the Application
 - Improving forms
 - Creating different forms for entry and editing.
 - Creating multi-tabbed form.
 - Improving form layout
 - Presentation of simple attributes
 - Presentation of reference attributes
 - Documents
 - Access Control
 - Improving operations
 - Additional operations
 - Implementing Other Requirements
 - Managing Communication with Members
 - Communication Business Objects
 - Communication Business Object Groups
 - Communication Business rules
 - Communication Operations
 - Communication User interface
 - Payment by credit card
 - System initialization
 - Testing the Application
 - Operating the final system
 - Introduction
 - Versions of the Library Application
 - Library Application
- Glossary
- Appendices
 - A. AwareIM Property Files
 - Setting Properties of the AwareIM server
 - Setting Properties of the Configuration Tool
 - Setting Properties of the AwareIM Web Application
 - Known Bugs and Limitations
 - Number Format in Java Programming Language
 - Links to AwareIM operations
 - Regular Expressions.
- Changelog
- Introduction
- glossary
 - Access level
 - Action
 - Aggregate operation
 - Attribute
 - Attribute choice list
 - Attribute format
 - Attribute initial value
 - Attribute length
 - Attribute query
 - Attribute type
 - Attribute value range
 - Auto-generated form

- Auto-generated rule
- AwareIM
- AwareIM server
- Business object
- Business object group
- Business space
- Business space documentation
- Business space integrity
- Business space version
- Calculated attribute
- Communication channel
- Condition
- Conditional element
- Configuration mode
- Configuration template
- Configuration Tool
- Configurator
- Context
- Context assistant
- Control Panel
- Custom form
- Default business space
- Default communication channel
- Discovering services
- Document template
- Export
- Expression
- Form section
- Form section navigation style
- Function
- Hosting environment
- Hyperlink element
- ID attribute
- Import
- Indexed attribute
- Initialization rule
- Intelligent business object
- Login
- Logout
- Matching attributes
- Notification
- Object form
- Object operation
- Object relation type
- Object storage
- Object type and object instance
- Operation
- Operation mode
- Presentation
- Process
- Process Failure Rules

- Process input
- Publish
- Query
- Query rule form
- Query simple form
- Query SQL form
- Reference attribute
- Report
- Required attribute
- Rule
- Rule collection
- Rule evaluation
- Rule execution log
- Rule execution order
- Rule language
- Rule priority
- Rule table
- Run time
- Scheduling
- Service
- Service implementation
- Service input
- Service reply
- Shortcut attribute
- Sub-presentation
- Sub-query
- Sub-report
- Tag
- Testing mode
- User Defined Processes (workflows)
- Validation rule
- Visual perspective
- While semantics
- Notes
 - notification_rules
- permalink
 - c_template
- Programmer's Reference Methods
 - getDatabaseInterface ()
 - addNotification (EntityIdentifier, INotification)
 - addReferences (IProcess, String, Long, String, EntityIdAndName [])
 - addServiceRequest (String, String, Object [])
 - afterColumnInit (IReportEnvironment)
 - afterDetailEval (IReportEnvironment)
 - afterGroupInit (String, IReportEnvironment)
 - afterPageInit (IReportEnvironment)
 - afterReportInit (IReportEnvironment)
 - beforeColumnInit (IReportEnvironment)
 - beforeDetailEval (IReportEnvironment)
 - beforeGroupInit (String, IReportEnvironment)
 - beforePageInit (IReportEnvironment)

- beforeReportInit (IReportEnvironment)
- calculate (String, Object [], INodeHelper)
- cancel ()
- canHaveExternalResources ()
- createDynamicTemplate (String, String, byte [], String)
- createEntity (IProcess, String)
- createEntityFromTemplate (IProcess, IEntityTemplate, ChangedReference [])
- createNotification (IProcess, String)
- deepCopy () / IEntity
- deepCopy () / DataPresentationTemplate
- deleteEntities (IProcess, EntityIdAndName [])
- deleteReferences (IProcess, String, Long, String, EntityIdAndName [])
- elementsRenamed (DataPresentationTemplate, RenamedElements, INodeChangeHelper, IDomainVersion)
- execute (IExecutionEngine, Object [])
- executeChildProcess (IProcess, String, IEntity [], Boolean)
- executeEntityService (IProcess, String, EntityIdentifier, IEntity [], String, Boolean)
- executeNamedQuery (IProcess, String, Integer, Integer)
- executeQuery (IProcess, Query, Integer, Integer)
- exportEntities (IProcess, IEntity [], String, ExportOptions)
- fillWithData (String, Map, IDocumentDataSource, DataPresentationTemplate, IDocEngineHelper, IDomainVersion, int, Boolean, int)
- getAccessLevel ()
- getAllReferences (IProcess, IEntity, String)
- getAttributePaths ()
- getAttributeValue (String)
- getAvailableFunctions ()
- getBinaryData (IProcess, String, Long, String)
- getChannelSettingsEditor ()
- getChannelValues ()
- getClientEngine ()
- getDefaultChannelSettings ()
- getDomainVersion ()
- getEditCommand ()
- getElementValue (String)
- getEntities (IProcess, EntityIdAndName [])
- getEntity (IProcess, String, Long)
- getExecutionContext (IProcess)
- getExpressionValue (String)
- getExpressionValueForCalcs (String)
- getExternalName ()
- getFramePanelId (frameName)
- getId ()
- getInputSourceClassName ()
- getIntelligenceTypeApplicability ()
- getLoadedResources ()
- getLoadedTemplate ()
- getLoginName ()
- getMainTabPanel ()
- getMessage ()
- getMessageValues ()

- [getName \(\) / IEntity](#)
 - [getName \(\) / IChannel](#)
 - [getName \(\) / IFunctionLibrary](#)
 - [getNotification \(\)](#)
 - [getObjectReferences \(IProcess, IEntity, String\)](#)
 - [getOutputSinkClassName \(\)](#)
 - [getPanelId \(frameName, tabName, contentPanelName\)](#)
 - [getProcessId \(\)](#)
 - [getProgress \(\)](#)
 - [getReferences \(String\)](#)
 - [getRequiredFactPatterns \(String, Collection\)](#)
 - [getServiceName \(\)](#)
 - [getServiceParameters \(\)](#)
 - [getServiceStatus \(\)](#)
 - [getSinkSettings \(\)](#)
 - [getSourceSettings \(\)](#)
 - [getStartupTime \(\)](#)
 - [getSuspensionTime \(\)](#)
 - [getTabPanelId \(frameName, tabName\)](#)
 - [getTemplateFileType \(\)](#)
 - [getTemplateType \(\)](#)
 - [getTimeout \(\)](#)
 - [getTypeClass \(String, Collection\)](#)
 - [hasFunction \(String, int\)](#)
 - [importData \(IProcess, String, String, Integer, Boolean\)](#)
 - [importRelationships \(IProcess, String, String, Integer\)](#)
 - [initialiseTemplate \(DataPresentationTemplate, IDomainVersion\)](#)
 - [isRTL \(\)](#)
 - [isServiceRequest \(\)](#)
 - [isTestingMode \(\)](#)
 - [MessageBuilder \(\)](#)
 - [MessageInterpreter \(DataObject \[\]\)](#)
 - [multiUser \(\)](#)
 - [next \(\)](#)
 - [printFile \(\)](#)
 - [reset \(\)](#)
 - [resume \(IExecutionEngine, Object \[\]\)](#)
 - [sendNotification \(IProcess, IEntity, INotification, String\)](#)
 - [setAttributePaths \(String \[\] attributePaths\)](#)
 - [setAttributeValue \(String, Object\)](#)
 - [setBinaryData \(IProcess, String, Long, String, byte\[\]\)](#)
 - [setElementValue \(String, Object\)](#)
 - [setProgress \(int\)](#)
 - [setReferences \(String, ObjectReference \[\]\)](#)
 - [setTimeout \(long\)](#)
 - [startEditing \(int, java.awt.Component, Properties, boolean\)](#)
 - [supportsServiceDiscovery \(\)](#)
 - [toSQL \(String, Collection, ISQLBuilderHelper\)](#)
 - [updateEntity \(IProcess, IEntity, String \[\], Object \[\], ChangedReference \[\]\)](#)
 - [validateSettings \(Properties, int\)](#)
- [All Tags](#)

- [sidebar](#)
- [Introduction](#)
- [Quick Tour](#)
- [Installation Guide](#)
- [Getting Started](#)
- [AwareIM Concepts](#)
- [Configuring Applications](#)
- [Rule Language](#)
- [Actions And Functions](#)
- [Mobile Applications](#)
- [How To...](#)
- [Programmer's Reference](#)
- [AI Integration](#)
- [Videos](#)
- [Case Study](#)
- [Glossary](#)
- [Appendices](#)
- [Changelog](#)

From:

<http://www.awareim.com/dokuwiki/> - **Documentation**

Permanent link:

<http://www.awareim.com/dokuwiki/sidebar?rev=1749631350>

Last update: **2025/06/11 08:42**

