

Table of Contents

- Rule Language
 - About this document
 - Rule Definition
 - Rule Condition
 - Notes on rule execution
 - Actions
 - Special usage of rules
 - Conventions
- Programmer's Reference
 - Writing client-side plugins
 - Using Javascript to integrate custom Cordova plugins for native mobile applications
 - Send email to the selected contact
 - Creating a contact on the phone
 - Modifying default presentation of individual fields on forms
 - Architecture of the client-side code
 - Modifying default behavior and presentation of queries
 - Modifying default behavior and presentation of content panels in visual perspectives
 - AwareApp object
 - Modifying default behavior and presentation of forms
 - Modifying default behavior of menu in visual perspectives
 - Modifying default behavior and presentation of form sections
 - Adding custom document types
 - IDocumentDataSource interface
 - Document Engine Example
 - Implementing Server Side Component
 - Implementing Client Side Component
 - DataPresentationTemplate class
 - Adding function libraries
 - Function library example
 - Implementing function library
 - ISQLBuilderHelper interface
 - Adding custom processes
 - IExecutionContext interface
 - IExecutionEngine interface
 - INotification interface
 - Writing code for a custom process component
 - IEntityTemplate interface
 - IEntity interface
 - Examples of custom process components
 - Adding custom channels
 - Implementing Channel's Source and Sink
 - Writing a Sink
 - Writing a Source
 - MessageBuilder class
 - Handling replies to service requests
 - MessageInterpreter class
 - Implementing Channel Type component
 - Implementing Channel Settings Editor
 - Adding report scriptlets
 - IReportEnvironment interface

- Implementing code for the scriptlet
 - Report Scriptlet Example
- Methods
- Adding programming extensions to AwareIM
- Appendix A: correspondence of attribute types and Java types
- General Guidelines
- Actions And Functions
 - Actions
 - Functions
- Changelog
- How To...
 - Reports And Documents
 - How to design a report
 - How to enumerate elements in a report
 - How to group records in a report
 - How to store documents and files
 - How to do "document merge"
 - How to work with embedded spreadsheets
 - How to re-use a report
 - How to perform calculations in a report
 - How to produce and print out a report
 - How to implement multiple file upload for documents
 - How to let users edit documents
 - How to print an element in different colors depending on some conditions
 - How to include related records in a report
 - How to refer to database fields in a report
 - How to include an element in a report conditionally
 - How to let end users define their own reports, document templates and queries
 - Forms And User Interfaces
 - How to customize colors and fonts
 - How to start processes from forms
 - How to control the order of attributes on automatically generated forms
 - How to show thumbnails
 - How to create dashboards and allow end users to customize them
 - How to attach actions to buttons
 - How to recalculate values in controls dynamically after a user changes some values
 - How to make an attribute visible, read-only, mandatory or display a different set of choices on a particular form only
 - How to show records in different colors
 - How to initialize form controls
 - How to set up forms with tabs
 - How to show/hide/disable/enable controls dynamically after a user changes some values
 - How to implement drag-and-drop between grids
 - How to add support for electronic signature to your application
 - How to display a form of a child object inside the form of the parent object
 - How to display colour editor
 - How to make your application "responsive" to different screen sizes
 - How to use the "Screen Tour" feature
 - How to display attributes in different colors
 - How to set up custom form layout

- How to show related records
- How to implement “wizard” forms
- How to design a form
- How to choose values from a list
- How to display a hierarchy of related records
- How to set up system menu
- How to let users edit images stored in attributes of the Picture type
- How to show Google Maps
- How to display Microsoft Outlook-like calendar
- How to display different icons for different types of records
- How to use CSS
- How to add right-to-left support
- How to use icon fonts to display an icon for a button
- How to synchronize with Google, Outlook, Exchange and other third party calendars
- How to use different forms for different users
- How to display attributes as read-only
- How to implement item reordering within a grid or custom query
- How to set up custom menu
- How to embed video in a form
- How to validate user input
- Charts
 - How to add Gantt chart to your application
 - How to use charts in reports
 - How to show charts
- AwareIM Basics
 - How to look for records
 - How to create records
 - How to define links between database tables
 - How to define database tables and database columns
 - How to set up calculated fields
 - How to deploy the configured system
 - How to test the configured system
 - How to change default database used
 - How to delete records
 - How to edit records
 - How to go about system configuration
 - How to set up business rules
 - How to start configuring the system
- Business Rules
 - What is the difference between processes and business rules?
 - How to find a rule
 - How to perform an action on multiple business objects
 - How to deal with rules that need to be evaluated in a strict order
 - How to check whether rules are executing correctly
 - How to define a rule
 - How to make sure that action is executed only once
- Users And Login
- Integration With Other Systems
- Emails
- Tips and Tricks
- Security And Protection

- Mobile Applications
- Miscellaneous
- AwareIM Concepts
 - Data Entry and Editing
 - Form Operations
 - Form Sections
 - Business Object Forms
 - Navigation Style
 - Data Retrieval
 - Configuring Queries
 - Building Queries in the Operation Mode
 - Searching for Data using Forms
 - Running Queries in the Operation Mode
 - Queries that Require User Input
 - Data Processing
 - Rule Evaluation
 - Evaluation of Unordered Rule Collections
 - Example of Rule Engine Execution
 - "While" Semantics
 - Overview of the Rule Engine Framework
 - Did it Change?
 - Rule Priorities
 - Context of Rule Execution
 - How Context is Formed
 - Instance Prefixes
 - Other Usages of Context
 - Cross-reference Rules
 - Evaluation of Rule Collections
 - Other Points Related to Action Execution
 - Aggregate Operations
 - Context
 - Evaluation of Rules Containing WAS CHANGED expressions
 - Summary of Rule Evaluation
 - Action Execution
 - Initialization Rules
 - Rules and Transactions
 - Batch Operations
 - Process Failure Rules
 - Long Operations
 - Configuration of Rules
 - Rule Debugger
 - Execution Log
 - Data Presentation
 - Custom Form of Query Results
 - Standard Form of Query Results
 - Calendar Form of Query Results
 - Productivity Features
 - Communication with Other Systems
 - Requesting Services and Sending Notifications
 - Intelligent Business Objects
 - Integration With Stripe Payments

- Export and Import
 - Exporting and Importing Relationships
 - Export and Import from Business Rules
 - Export and Import in the Operation Mode
- Access Control
 - Login
 - Access Level
- Working with Documents and Reports
 - Reports
 - Document Generation
 - Document Management
- Scheduling
- E-mail Handling
- Performance Profiler
- Extending AwareIM
- Setting Initial Values of the Application
- Configuration Process
 - Configuration Guidelines
 - Configuration steps
 - Business objects
 - Business object rules
 - User interface
 - Processes
 - Configuration principles
 - Object rules are self-contained
 - Business object groups unite dissimilar objects
 - Object rules perform all information processing
 - Business objects represent elements of business environment
 - Object rules are attached to the right objects
 - Working with AwareIM in Hosting Environment
 - Business Space Versions and Version Control
 - Testing Mode
 - Productivity Features
- User Interface
 - Operations
 - Visual Perspective
- Basic Concepts
 - Business Rules as Carriers of Business Logic
 - Business Space
 - Business Objects as Carriers of Data
 - Business Object Groups
 - Processes as Links between User Interface and Business Logic
 - Reference Attributes
- Aspects of Information Management System
- Data Storage
- Appendices
 - A. AwareIM Property Files
 - Setting Properties of the AwareIM server
 - Setting Properties of the Configuration Tool
 - Setting Properties of the AwareIM Web Application
 - Regular Expressions.

- Number Format in Java Programming Language
- Known Bugs and Limitations
- Links to AwareIM operations
- Mobile Applications
 - General Approach
 - Login
 - Using Queries
 - Using Processes
 - Getting Location of the Current User
 - Introduction
 - Displaying Google Maps
 - Display & Upload Images from Camera and/or Photo Library
 - Building native mobile applications
 - Embedding Video
 - Using Visual Perspectives
 - Sending Push Notifications to Mobile Phones
 - Using Forms of Business Objects
- Getting Started
 - Introduction
 - Testing Application
 - Configuring Applications
 - Deploying the Application
 - Making Changes to the Application
- Videos
 - 5. Relationship Diagrams
 - 67. Building an Application (part 2 of 6)
 - 17. Queries
 - 4. Relationships in AwareIM
 - 23. Access Control
 - 15. Rule Debugger
 - 69. Building an Application (part 4 of 6)
 - 55. Cascading Drop Downs
 - 9. Advanced Forms
 - 48. Concurrent Development
 - 73. Version 9.0
 - 49. Responsiveness
 - 31. Charts
 - 51. Auto Refresh
 - 32. Gantt Charts
 - 44. User Defined Workflows
 - 10. Custom HTML forms
 - 54. User Tours
 - 75. Tiles In Visual Perspectives
 - 66. Building an Application (part 1 of 6)
 - 1. Getting Started with AwareIM
 - 13. Processes
 - 40. Accessing Existing Databases, Active Directory and LDAP
 - 36. Building Native Mobile Applications Using Monaca
 - 34. Mobile Applications
 - 37. Sending Push Notifications
 - 70. Building an Application (part 5 of 6)

- 19. Displaying Attributes of Related Objects Using Shortcuts
- 38. Accessing Camera, Photo Library, Retrieving Geo Location
- 29. Calendar and Scheduler
- 11. Business Rules
- 62. Optimization of AwareIM Applications
- 21. Kanban Boards
- 12. Rule Execution
- 16. Using CREATE Action in Business Rules
- 77. Google Maps Markers
- 46. Using Performance Profiler
- 6. Forms
- 24. Document Templates
- 57. Auto-Incremented Attributes
- 52. Business Object Groups
- 26. User Defined Documents
- 60. Long-running Processes
- 39. Deploying Applications for Multiple Tenants
- 59. Multi-step Processes
- 58. User Defined Dashboards
- 18. Presentation of Queries
- 41. Web Services
- 7. Presentation Styles and Presentation Rules in Forms
- 25. Document Files
- 80. Using Ai
- 22. Visual Perspectives
- 56. Form and Grid Styles
- 45. Import and Export Templates
- 28. Emails
- 78. Improvements In Charts
- 42. Consuming REST-ful Services
- 65. Developing Java Plugings - Part 3
- 27. Images
- 2. AwareIM Deployment and Configuration
- 79. Version 10
- 72. Integration with Stripe Multiparty Payments
- 8. Adding Buttons and HTML to Forms
- 68. Building an Application (part 3 of 6)
- 64. Developing Java Plugings - Part 2
- 53. Standalone Input Controls
- 63. Developing Java Plugings - Part 1
- 76. Inline Editing Widgets
- 43. Developing Applications for Different Languages
- 47. Interacting with Preview
- 71. Building an Application (part 6 of 6)
- 33. Google Maps
- 50. Offline Mode
- 61. Using CSS and Javascript
- 3. Creating your First AwareIM Application
- 74. Query Fiilters
- 35. Building Native Mobile Applications
- 30. Trees

- 20. Custom Queries
- 81. Data & Import Export
- 14. Rule Context and Instance Prefixes
- AI Integration
 - Data Maestro In CRM Sample App
 - Data Maestro
- Configuring Applications
 - Adding/Editing Queries
 - Displaying Query Results
 - Standard Grid
 - Calendar/Scheduler Presentation
 - Custom Presentation
 - Tree Presentation
 - Query Filters
 - Timeline of Events Presentation
 - Chart Presentation
 - Specifying Query Using Textual View
 - Query Properties
 - Specifying Query Using Standard View
 - Adding/Editing Visual Perspectives
 - Working with Visual Perspective Editor
 - Defining Layout of Content Panels
 - Horizontal Layout
 - Setting Menu Item Properties
 - Vertical Anchor Layout
 - Table Layout
 - Accordion Layout
 - Vertical Box Layout
 - Setting Menu Properties
 - Responsive Grid (Simple) Layout
 - Responsive Grid (Nested) Layout
 - Border Layout
 - Column Layout
 - Defining Content Panel Properties
 - Defining Tab Properties
 - Defining Frame Properties
 - Defining Content Panel with HTML Content
 - Using Tiles in Dashboards
 - Working with Data Stored in Existing Database Tables or LDAP
 - Defining Business Objects that Use Existing Database Tables
 - Using LDAP/Active Directory for Login
 - Defining Business Objects that Use Data from LDAP Server /Active Directory
 - Adding/Editing Business Objects
 - Defining Intelligent Business Objects
 - Setting Properties of the E-mail Channel
 - Setting Properties of the URL Channel
 - Setting Properties of the SOAP Channel
 - Setting Properties of the REST Channel
 - Defining Forms
 - Adding/Editing Form Sections
 - Forms that use Google Maps

- Cell Properties
- Specifying which attributes will be shown on the form
- Putting cells inside group boxes
- Forms that use QR codes
- Show preview of the form on phones and tablets
- Merging and splitting cells
- Defining Form Section Layout
- Adding buttons/links to forms
- Displaying reference tables
- Adding HTML
- Forms that use Barcodes
- Forms that use Gauge Chart
- Multiple columns
- Form Section Properties
- Form Properties
 - Button Aligment
 - Tab reordering
 - Form Auto Refresh Settings
 - Stretch to bottom of screen
 - Description
 - Autosave
 - Responsiveness
 - Navigation Type
 - Panel Operations
 - Tour
 - CSS Style and CSS class
 - Mobile tabs
 - Centre Align Form
 - Form panel resizing
 - Height
 - Display Mask
 - Name
 - Use automatic
 - Panel Header and Caption
 - Scripts
 - Tabbar position
 - Width
- Adding/Editing Panel Operations
 - Edit Toolbar
 - Operation Types
 - Adding/Editing an operation
- Adding/Editing Forms
- Adding Custom HTML forms
- Specifying General Properties
 - Description
 - Category
 - Attributes tab
 - Presentations tab
 - Update and Deletion Rules tabs
 - Name
 - Communication

- Forms tab
 - Persistence
 - Adding Business Objects from JSON Schema
 - Defining Presentations
- Working with Report/Presentation Designer
 - Editing Report/Presentation Elements
 - Editing Conditional Element
 - Editing Sub-report/Sub-presentation Element
 - Editing General Properties
 - Editing Graphical Elements
 - Editing Tag Element
 - Setting Hyperlink Properties
 - Editing Table Element
 - Editing Text Element
 - Working with Charts
 - Miscellaneous Commands
 - Adding Report/Presentation Elements
 - Previewing the Report
 - Setting System Calculation Properties
 - Add/Delete Group Bands
 - Report/Presentation Bands
 - Alignment and Positioning
 - Finding Design Element
 - Adding/Deleting Custom Font
 - Setting Report/Presentation Properties
 - Using Toolbar to change Report/Presentation Elements
- Working with Configuration Elements
 - Pasting Elements
 - Adding Elements
 - Editing/Viewing Elements
 - Deleting Elements
 - Copying Elements
- Adding/Editing Attributes
 - Setting Properties of Reference Attributes
 - Displaying references as a tree
 - Diagram of Object Relationships
 - Displaying references as a table
 - Setting Properties of Date, Timestamp and Duration Attributes
 - Setting Properties of Document Attributes
 - Setting Properties of Number Attributes
 - Setting Properties of Plain Text Attributes
 - Setting Properties of Yes/No Attributes
 - Setting Properties of Picture Attributes
 - Common Properties
 - Setting Properties of Shortcut Attributes
- Working with Business Space Versions
 - Major and Minor Versions
 - Creating Major Version
 - Creating Minor Version
 - Deleting Business Space Version
 - Loading Business Space Version

- Lifecycle of a Business Space Version
- Exporting Business Space Version
- Publishing Business Space Version
- Viewing Properties and History of the Business Space Version
- Updating Business Space Version
- Checking Version Integrity
- Testing Business Space Version
- Importing Business Space Version
- Refreshing Business Space Version
- Working with a Business Space Version in a Multi-Developer Mode
- Email Handling
 - Sending Outgoing E-mail
 - Handling Unsent E-mail
 - Setting Options for Incoming E-mail Handling
- Adding/Editing Rules
 - Working with Rule Collection
 - Adding/Editing Rule using Textual View
 - Adding/Editing Rule using Standard View
 - Rule Properties
 - Context Assistant
- Multi-step Processes
- Adding Appointment Objects
- Scheduling
- Login via social media sites and other applications
- Overview of the Configuration Tool
- Comparing Business Space Versions
- Form and Grid Styles
- Creating Applications in Different Languages
- Right-to-left Support
- Adding/Editing Processes
- Undoing and Redoing Changes
- Re-connecting to the AwareIM Server
- Adding/Editing Worksheets
- Determining Current Location of the User
- Handling Login Events
- Protecting Business Space Version
- Building Runtime Executable
- Managing Configuration Users
- Implementing Single Sign-on using SAML protocol
- Adding/Editing Access Levels
- Adding/Editing Services
- Show System Objects
- Adding/Editing Notifications
- Generating Documentation
- Handling Logout Events
- Configuring Applications for Mobile Devices
- Data Migration
- Creating Native Mobile Applications
- View Configuration Tool Settings
- Adding/Editing Business Spaces
- Working on the Same Business Space Version Concurrently (Multi-Developer Mode)

- Searching for Elements in a Business Space Version
- Finding where Element is Used
- Adding/Editing Document Templates
- Adding/Editing Business Object Groups
- Backing up and Restoring Operational Data
- Logging into the Operation Mode
- Quick Tour
 - Configuration
 - Application Deployment
 - Introduction
 - Testing
- Glossary
- Case Study
 - Configuration of the Library Application
 - Operations
 - Expiring Reservations and Processing Overdue Loans
 - Processing Overdue Loans
 - Expiring Reservations
 - "Borrow item" operation
 - Invoking the "Borrow Item" operation from the Item form
 - Invoking the "Borrow Item" operation from query results
 - Invoking the "Borrow Item" operation from the Member form
 - "Renew Loan" operation
 - "Reserve Item" operation
 - "Change item type details" operation
 - "Find member" operation
 - "Register new item" operation
 - "Cancel Reservation" operation
 - "Register Fee" operation
 - "Register Payment" operation
 - "Change member details" operation
 - "Register new member" operation
 - "Register new item type" operation
 - "Return Item" operation
 - "Find item" operation
 - "Change item details" operation
 - Business Objects and Relationships
 - Configuration of Business Objects
 - Defining Other Objects
 - Defining a Reference Attribute
 - Defining ItemType Object
 - Defining Member Object
 - Defining Loan Object
 - Defining Item Object
 - Attributes of Business Objects
 - Fine-tuning the Application
 - Improving forms
 - Creating multi-tabbed form.
 - Presentation of simple attributes
 - Presentation of reference attributes
 - Improving form layout

- Creating different forms for entry and editing.
 - Access Control
 - Documents
 - Improving operations
 - Additional operations
 - Implementing Other Requirements
 - Managing Communication with Members
 - Communication User interface
 - Communication Operations
 - Communication Business rules
 - Communication Business Object Groups
 - Communication Business Objects
 - Payment by credit card
 - System initialization
 - Business Rules
 - Item Object
 - Payment Object
 - Member Object
 - Loan Object
 - Reservation Object
 - Testing the Application
 - Operating the final system
- Versions of the Library Application
- Introduction
- Library Application
- Installation Guide
 - Database integration
 - Oracle
 - MySQL
 - MS SQL Server
 - MS Azure, Maria DB & PostgreSQL
 - Java installation
 - Deployment Options
 - Windows Installation
 - Linux Installation
 - Troubleshooting
 - MacOS Installation
- Introduction

From:

<http://www.awareim.com/dokuwiki/> - **Documentation**

Permanent link:

<http://www.awareim.com/dokuwiki/sidebar?rev=1749688370>

Last update: **2025/06/12 00:32**

